Yahoo! My Yahoo! Mail Welcome, **Guest** [Sign In] Search Home Help



Web Images Video Audio Directory Local News Shop SEARCH scanning each pixel to obtain monochrome density value having a predete Se

Search Services Advanced Search My Web **Preferences** Answers BETA Search Results 1 - 2 of about 2 for scanning each pixel to obtain monochro

1. Image analysis patents 200506

Freshpatents.com offers information on a variety of new patent applications, updated each week - check out Image analysis patents ... difference code having fixed bit length and ... having arbitrary levels with arbitrary level spacing. The method scales the value of the input pixel to ... with a monochrome camera having a ... www.freshpatents.com/Image-analysisdt200506ntc382.php - 151k - Cached - More from this site -

2. Image analysis patents 200501 ^电

Save

... of a predetermined depth (d ... having an imaging device (22, 100) to obtain images and ... density function according to a distribution of a luminance value with respect to each pixel ...

www.freshpatents.com/Image-analysisdt200501ntc382.php - 113k - Cached - More from this site -Save

Web Images Video Audio Directory Local News Shopping More » Your Search: scanning each pixel to obtain monochrome density value having a predete Search

Didn't find what you needed? Try Yahoo! Answers.

Copyright © 2006 Yahoo! Inc. All rights reserved. Privacy Policy - Terms of Service - Copyright/IP Policy - Submit Your Site



Home | Login | Logout | Access Information Sitem

Welcome United States Patent and Trademark Office

Search Results

BROWSE

SEARCH

IEEE XPLORE GUIDE

SU

Results for "(decoding and monochrome and density<and>bit field)" Your search matched 1 of 1328352 documents.

⊠e-πail

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in **Descending** order.

» Search Options

View Session History

New Search

» Key

JNL

Modify Search

(decoding and monochrome and density<and>bit field)

Check to search only within this results set

Display Format:

Citation C Citation & Abstract

ے view selected items:

Select All Deselect All

IEE Journal or

1. Vector SPIHT for embedded wavelet video and image co

Mukherjee, D.; Mitra, S.K.; Circuits and Systems for Video Technology, IEEE Transactic Volume 13, Issue 3, March 2003 Page(s):231 - 246

Digital Object Identifier 10.1109/TCSVT.2003.809832

<u>AbstractPlus | References | Full Text: PDF(913 KB) | IEEE .</u> Rights and Permissions

CNF

CNF

IEE

IEEE

Conference

Conference Proceeding

IEEE Journal or

Magazine

Magazine

Proceeding

IEEE STD

IEEE Standard

Help Contact L Securi

© Copyright 201

Rigi

micked by #Inspec

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
11	29	("7003166" or "5335082" or "5606379" or "5557430" or "5701401" or "6179485" or "6169607" or "4688031" or "4703318" or "5818966" or "5091966" or "6098882" or "4939354" or "5278400").pn.	USPAT; DERWENT	OR	ON	2006/03/19 12:36
L2	14	1 and monochrome	USPAT; DERWENT	OR .	ON	2006/03/19 12:36
L3	2	2 and (scan\$6 with density)	USPAT; DERWENT	OR	ON	2006/03/19 12:37
L4	1	3 and (bit adj depth)	USPAT; DERWENT	OR	ON	2006/03/19 12:37
L5	0	4 and decompos\$6	USPAT; DERWENT	OR	ON	2006/03/19 12:37
L6	1	4 and decod\$6	USPAT; DERWENT	OR	ON	2006/03/19 12:38
L7	154	decod\$4 with monochrome	USPAT; DERWENT	OR	ON	2006/03/19 12:38
L8	2	7 and (scan\$6 with density with depth)	USPAT; DERWENT	OR	ON	2006/03/19 12:39
L9	1	8 and decompos\$6	USPAT; DERWENT	OR	ON	2006/03/19 12:39
L10	22	7 and (scan\$6 with density)	USPAT; DERWENT	OR	ON	2006/03/19 12:39
L11	2	10 and (bit near depth)	USPAT; DERWENT	OR	ON	2006/03/19 12:40
L12	2	10 and (data near field)	USPAT; DERWENT	OR	ON	2006/03/19 12:41
L13	20	10 and field	USPAT; DERWENT	OR	ON	2006/03/19 12:41
L14	3	13 and depth	USPAT; DERWENT	OR	ON	2006/03/19 12:42
L15	1	(monochrome adj density) with (bit near depth)	USPAT; DERWENT	OR	ON	2006/03/19 12:43
L16	2	(monochrome adj density) and (bit near depth)	USPAT; DERWENT	OR	ON	2006/03/19 12:43
L17	544593	(monochrome adj density) depth	USPAT; DERWENT	OR	ON	2006/03/19 12:43
L18	13	(monochrome adj density) and bit	USPAT; DERWENT	OR	ON	2006/03/19 12:43
L19	7	18 and decod\$4	USPAT; DERWENT	OR	ON	2006/03/19 13:03

3/19/06 2:47:53 PM

L20	6	19 and value	USPAT; DERWENT	OR	ON	2006/03/19 13:33
L21	36071	decod\$4 with value	USPAT; DERWENT	OR	ON	2006/03/19 13:33
L22	340	decod\$4 with (second adj value)	USPAT; DERWENT	OR	ON	2006/03/19 13:33
L23	1	decod\$4 with (data adj field) with (second adj value)	USPAT; DERWENT	OR	ON	2006/03/19 13:34
L24	78	decod\$4 with (data adj field) with value	USPAT; DERWENT	OR	ON	2006/03/19 13:34
L25	3	24 and monochrome	USPAT; DERWENT	OR	ON	2006/03/19 13:35
L26	2	scan\$6 with (monochrome adj density)	USPAT; DERWENT	OR .	ON	2006/03/19 13:36
L27	55	scan\$6 with (monochrome with density)	USPAT; DERWENT	OR	ON	2006/03/19 13:36
L28	0	27 and (decompos\$4 with densoty with field)	USPAT; DERWENT	OR	ON	2006/03/19 13:36
L29	1	27 and (decompos\$4 with density with field)	USPAT; DERWENT	OR	ON	2006/03/19 13:37
L30	1	27 and (decompos\$4 with field)	USPAT; DERWENT	OR	ON	2006/03/19 13:37
L31	2	27 and (data adj field)	USPAT; DERWENT	OR	ON	2006/03/19 13:39
L32	2	monochrome with (density) with (data near field)	USPAT; DERWENT	OR	ON	2006/03/19 13:39
L33	11	monochrome with density with field	USPAT; DERWENT	OR	ON	2006/03/19 14:14
L34	2	33 and (decod\$4 with value)	USPAT; DERWENT	OR	ON	2006/03/19 13:40
L35	0	monochrome with density with (bit near field)	USPAT; DERWENT	OR	ON	2006/03/19 14:14
L36	7	monochrome and (density with (data near field))	USPAT; DERWENT	OR	ON	2006/03/19 14:16
L37	7411	monochrome and (density value and (data near field))	USPAT; DERWENT	OR	ON	2006/03/19 14:16
L38	1236	37 and decod\$4	USPAT; DERWENT	OR	ON	2006/03/19 14:16
L39	1	decompos\$4 with density with (data near field)	USPAT; DERWENT	OR	ON	2006/03/19 14:17
L40	182	density with (data near field)	USPAT; DERWENT	OR	ON	2006/03/19 14:17
L41	7	40 and monochrome	USPAT; DERWENT	OR	ON	2006/03/19 14:17

L42	4	41 and scan\$4	USPAT; DERWENT	OR	ON	2006/03/19 14:17
L43	2	42 and decod\$4	USPAT; DERWENT	OR	ON	2006/03/19 14:17
L44	105	decod\$4 with (data near field) with value	USPAT; DERWENT	OR	ON	2006/03/19 14:18
L45	3.	44 and monochrome	USPAT; DERWENT	OR	ON	2006/03/19 14:19
L46	1	45 and density	USPAT; DERWENT	OR	ON	2006/03/19 14:20
L47	0	density with monochrome with filed	USPAT; DERWENT	OR	ON	2006/03/19 14:21
L48	11	density with monochrome with field	USPAT; DERWENT	OR	ON	2006/03/19 14:22
L49	1	48 and (decod\$4 with field)	USPAT; DERWENT	OR	ON	2006/03/19 14:21
L50	2	48 and decod\$4	USPAT; DERWENT	OR .	ON	2006/03/19 14:23
L51	1005	decod\$4 with (data adj field)	USPAT; DERWENT	OR	ON	2006/03/19 14:26
L52	1	51 and (monochrome with density)	USPAT; DERWENT	OR	ON	2006/03/19 14:23
L53	27	51 and (monochrome and density)	USPAT; DERWENT	OR	ON	2006/03/19 14:24
L54	1	53 and (bit adj depth)	USPAT; DERWENT	OR	ON	2006/03/19 14:24
L55	1	51 and ((color or monochrome) with density)	USPAT; DERWENT	OR	ON	2006/03/19 14:27
L56	1339	decod\$4 with (data near field)	USPAT; DERWENT	OR	ON	2006/03/19 14:27
L57	1	56 and (monochrome with density)	USPAT; DERWENT	OR	ON	2006/03/19 14:28
L58	27	56 and (monochrome and density)	USPAT; DERWENT	OR	ON	2006/03/19 14:28
L59	198	((color or monochrome) near density) with field	USPAT; DERWENT	OR	ON	2006/03/19 14:29
L60	1	59 and 51	USPAT; DERWENT	OR	ON	2006/03/19 14:30
L61	24	59 and decod\$4	USPAT; DERWENT	OR	ON	2006/03/19 14:38
L62	6600	density with field	EPO; JPO	OR	ON	2006/03/19 14:38
L63	8	62 and (decod\$4 with field)	EPO; JPO	OR	ON	2006/03/19 14:40
L64	0	63 and (color or monochrome)	EPO; JPO	OR	ON	2006/03/19 14:39

L65	8	monochrome with density with field	US-PGPUB	OR	ON	2006/03/19 14:40
L66		65 and (decod\$4 with field)	US-PGPUB	OR	ON	2006/03/19 14:41
L67	112725	"382"/("232" or "233" or "162" or "166").ccls.	USPAT; DERWENT	OR '	ON	2006/03/19 14:42
L68	1	67 and 48	USPAT; DERWENT	OR	ON	2006/03/19 14:43
L69	1	67 and (monochrome with density with field)	USPAT; DERWENT	OR	ON	2006/03/19 14:44
L70	128	67 and (monochrome with density)	USPAT; DERWENT	OR	ON	2006/03/19 14:44
L71	0	70 and (decod\$4 with field)	USPAT; DERWENT	OR .	ON	2006/03/19 14:44
L72	34	70 and decod\$4	USPAT; DERWENT	OR	ON	2006/03/19 14:46
L73	4	72 and (data near field)	USPAT; DERWENT	OR	ON	2006/03/19 14:46

	Ū	1	Do	ocument	ID	Issue	Date	Pages
1			US	7003166	B2	200602	21	18
2			US	6721456	5 B1	200404	13	14
3			US	6092009) A	200007	18	65
4			US	5604824	. A	199702	18	47

	Title	Current OR	Current XRef
1	Method of encoding data in a monochrome media	382/237	348/701; 382/232
2	Color image data and control bit compression scheme with run length encoding	382/233	341/63; 358/426.13; 375/240.23; 382/245
3	Aircraft terrain information system	701/14	340/970; 701/208; 701/213
4	Method and apparatus for compression and decompression of documents and the like using splines and splinewavelets	382/248	382/232; 702/76; 708/420; 708/801; 73/602

	Retrieval Classif	Inventor	S	С	P	2	3	4	5
1		Abhyankar; Vishwas G. et al.	Х						
2		Aschenbrenner; Jean Margaret et al.	X						
3		Glover; J. Howard	Х						
4		Chui; Charles K. et al.	X	·					

		Image Doc. Displayed	PT
1	US	7003166	
2	US	6721456	
3	US	6092009	
4	US	5604824	

	υ	1	Do	ocument	ID	Issue	Date	Pages
1			JP	0914894	19 A	199706	06	6
2			JP	0324889	95 A	199111	06	8
3			JP	6200932	22 A	198701	17	11
4			JP	6200932	21 A	198701	17	9
5			JP	6200932	20 A	198701	17	9
6			WO	9846023	3 A1	199810	15	61
7	Х		WO	9638845	5 A1	199612	05	33
8	X		WO	9428546	5 A1	199412	08	81

	Title	Current OR	Current XRef
1	FM RADIO RECEIVER		
2	MAGNETIC MEDIUM		283/82
3	LIQUID CRYSTAL DEVICE		345/97; 349/FOR.108
4	LIQUID CRYSTAL DISPLAY DEVICE		345/97; 349/FOR.108
5	LIQUID CRYSTAL DEVICE		345/97; 349/FOR.108
6	COMPUTER SYSTEM AND PROCESS FOR CAPTURE, EDITING AND PLAYBACK OF MOTION VIDEO COMPRESSED USING INTERFRAME AND INTRAFRAME TECHNIQUES		
7	TECHNIQUE FOR RECONFIGURING A HIGH DENSITY MEMORY		
8	METHOD AND DEVICE FOR CORRECTING ERROR IN DIGITAL DATA		360/26

	Retrieval Classif	Inventor	S	С	P	2	3	4	5
1		SATO, AKIHIRO	X						
2		GONDA, SHOSUKE	x						
3		KANBE, JUNICHIRO et al.	X						
4		KANBE, JUNICHIRO et al.	X						
5		KANBE, JUNICHIRO et al.	X						
6		SPORER, MICHAEL et al.	Х	•					
7		LIOU, KONG-MOU et al.							
8		INOUE, TAKAO et al.							

		Image Doc. Displayed	PT
1	JP	09148949 A	
2	JP	03248895 A	
3	JР	62009322 A	
4	JР	62009321 A	
5	JP	62009320 A	
6	WO	9846023 A1	
7	WO	9638845 A1	
8	WO	9428546 A1	

	U	1	Document ID	Issue Date	Pages
1			US 6377706 B1	20020423	18
2			US 5585863 A	19961217	28
3			US 20030161016 A	20030828	27

	Title	Current OR	Current XRef
1	Compression framework incorporating decoding commands	382/233	382/253
2	Memory organizing and addressing method for digital video images	348/716	345/536; 345/560; 348/718
3	Data decoding method for color printer, involves decoding data fields which is obtained by decomposing monochrome density value, in order to obtain data values in monochrome medium		

	Retrieval Classif	Inventor	S	C	P	2	3	4	5
1		de Queiroz; Ricardo L.	X						
2		Hackett; James I. et al.	X		į				
3		ABHYANKAR, V G et al.	X						

		Image Doc. Displayed	PT
1	US	6377706	
2	US	5585863	
3	US	20030161016	

	υ	1	Do	ocum	ent	ID	Issue	Date	Pages
1			US	7003	3166	B2	200602	221	18
2			US	603!	5094	. А	200003	307	22
3			US	5822	2660	A	199810)13	8
4			US	5528	3274	. A	199606	518	19
5			US	5450	0099	A	199509	12	20
6			US	5444	1494	A	199508	322	28
7			US	5402	2361	Α	199503	28	49

	Title	Current OR	Current XRef
1	Method of encoding data in a monochrome media	382/237	348/701; 382/232
2	Video signal processing apparatus and method for securing a copy protection effect, an apparatus for recording/reproducing the processed video signal and a record medium therefor	386/94	386/112
3	Copyright protection in color thermal prints	399/194	347/172; 358/450; 380/51; 380/55; 399/366
4	Method of printing full- color frame image reproduced from full- color field image by interpolation	347/172	347/175; 358/525
5	Thermal line printer with staggered head segments and overlap compensation	347/200	347/211; 400/82
6	Video signal system converting circuit for processing video signal having interlaced scanning lines to produce video signal having sequential scanning lines	348/448	348/458; 348/459
7	Apparatus for method for logging, storing, and redirection of process related non-densitometric data generated by color processing equipment for use by an off site host computer	382/167	399/10

	Retrieval Classif	Inventor	s	С	P	2	3	4	5
1		Abhyankar; Vishwas G. et al.	Х						
2		Kori; Teruhiko	X	,					
3	•	Wen; Xin	Х						
4		Hyodo; Manabu	Х	,					
5		Stephenson; Stanley W. et al.	Х						
6		Yamamoto; Yukinori et al.	Х						
7		Peterson; Steven H. et al.	X	,					

	•	Image Doc. Displayed	PT
1	US	7003166	
2	US	6035094	
3	US	5822660	
4	US	5528274	
5	US	5450099	
6	US	5444494	
7	US	5402361	

	บ	1	Do	ocument	t :	ID	Issue	Date	Pages
8			US	533916	54	Α	199408	16	27
9			US	531947	74	A	199406	07	18
10			US	530511	L2	Α	199404	19	30
11			US	511818	33	A	199206	02	56
12			US	506271	L4	A	199111	.05	38
13			US	470593	88	A	198711	.10	5
14			US	456101	L6	A	198512	24	23
15	X		US	446993	37	Α	198409	004	5

	Title	Current OR	Current XRef
8	Method and apparatus for encoding of data using both vector quantization and runlength encoding and using adaptive runlength encoding	358/426.02	348/390.1; 348/441; 358/426.12; 382/234; 382/245; 382/253
9	Overlapping device of a color video printer	358/515	358/501; 358/517
10	Video signal recording/reproducing system for recording and reproducing video signals in high quality picture television system	386/33	348/441; 348/491; 386/34
11	Automated strip reader densitometer	356/73	356/406; 356/407; 356/419; 356/425
12	Apparatus and method for pattern recognition	356/406	356/407; 356/419; 356/425; 356/73
13	Method of securing data on a data support	235/435	235/469; 340/5.86
14	Method and apparatus for recording color pictures for multicolor printing	358/527	358/510
15	Method of securing data	235/435	235/380; 283/70; 283/74; 340/5.8; 902/25; 902/4

	Retrieval Classif	Inventor	S	С	P	2	3	4	5
8		Lim; Jae S.	Х	•					
9	-	Yu; Chun-Keun	х						
10		Yamamoto; Yukinori et al.	X						
11		Cargill; Mark A. et al.	х						
12		Peterson; Steven H. et al.	X	•					
13		Stockburger; Hermann et al.	X						
14		Jung; Eggert et al.	X						
15		Stockburger; Hermann et al.							

	•	Image Doc. Displayed	PT
8	US	5339164	
9	US	5319474	
10	US	5305112	
11	US	5118183	
12	US	5062714	
13	US	4705938	
14	US	4561016	
15	US	4469937	

	U	1	Document ID	Issue Date	Pages
16	X		US 4045772 A	19770830	53
17	Х		US 4013997 A	19770322	16
18	х		US 4012634 A	19770315	54
19	х		US 3873974 A	19750325	29
20	X		US 20030161016 A	20030828	27
21	X		JP 04077075 A	19920311	

	Title	Current OR	Current XRef
16	Automatic focusing system	382/134	348/79; 356/39; 377/10; 382/162; 382/291; 382/319
17	Error detection/correction system	714/779	235/437; 714/782
18	Automatic focusing system including quantizing means	250/201.3	356/125; 356/39
19	Scanning system for location and classification of patterns	382/134	382/162; 382/291; 382/319
20	Data decoding method for color printer, involves decoding data fields which is obtained by decomposing monochrome density value, in order to obtain data values in monochrome medium		
21	High quality video signal recording and reproduction system - separates brightness and colour signals from interlaced scanning signal and divides picture elements from each line into two phases for recording		

	Retrieval Classif	Inventor	S	С	P	2	3	4	5
16		Bouton; John C. et al.							
17		Treadwell, III; Stephen Smith							
18		Bouton; John C. et al.							
19		Bouton; John C. et al.							
20		ABHYANKAR, V G et al.		•					
21		ARAYA, M et al.							

	Image Doc. Displayed	PT
16	US 4045772	
17	US 4013997	
18	US 4012634	
19	US 3873974	
20	US 20030161016	
21		

	ប	1	Docume	nt	ID	Issue	Date	Pages
22	X		JP 0407	707	4 A	199203	11	
23	X		JP 0406	898	4 A	199203	04	
24	X		JP 0406	149	3 A	199202	27	

	Title	Current	OR	Current	XRef
22	High quality video signal recording and reproduction system - separates brightness and colour signals from interlaced scanning signal and divides picture elements from each line into two phases for recording				
23	High quality video signal recording and reproduction system - separates brightness and colour signals from interlaced scanning signal and divides picture elements from each line into two phases for recording		,		
24	High quality video signal recording and reproduction system - separates brightness and colour signals from interlaced scanning signal and divides picture elements from each line into two phases for recording				

	Retrieval Classif	Inventor	s	С	P	2	3	4	5
22		ARAYA, M et al.							
23		ARAYA, M et al.							
24		ARAYA, M et al.							

	Image Doc. Displayed	PT
22		
23		
24		



PALM INTRANET

Day: Sunday Date: 3/19/2006 Time: 12:28:20

Inventor Name Search Result

Your Search was:

Last Name = ABHYANKAR First Name = VISHWAS

Application#	Patent#	Status	Date Filed	Title	Inventor Name
09703059	Not Issued	41		Method and apparatus for long term document preservation	ABHYANKAR, VISHWAS G.
10000407	Not Issued	41	11/02/2001	Digital data preservation system	ABHYANKAR, VISHWAS G.
10059994	7003166	150		METHOD OF ENCODING DATA IN A MONOCHROME MEDIA	ABHYANKAR, VISHWAS G.
10086142	Not Issued	30	02/28/2002	Method of decoding data encoded in a monochrome medium	ABHYANKAR, VISHWAS G.
10099767	Not Issued	71	03/15/2002	Preview function in a digital data preservation system	ABHYANKAR, VISHWAS G.
<u>10170316</u>	Not Issued	120		Preview function in a digital data preservation system	ABHYANKAR, VISHWAS G.
<u>10357775</u>	Not Issued	30		Preservations system for digitally created and digitally signed documents	ABHYANKAR, VISHWAS G.
10385325	Not Issued	95		APPARATUS AND METHOD FOR PRINTING USING A LIGHT EMISSIVE ARRAY	ABHYANKAR, VISHWAS G.
10977855	Not Issued	30		Networked system for routing medical images	ABHYANKAR, VISHWAS G.
11196824	Not Issued	30	08/03/2005	Automated fundus imaging system	ABHYANKAR, VISHWAS G.

Inventor Search Completed: No Records to Display.

To go back use Back button on your browser toolbar.

Back to PALM | ASSIGNMENT | OASIS | Home page